

On Comparative Study Between Two Diversified Educational Methodologies' Academic Achievements (Artificial Neural Networks' Approach)

¹Hassan M. H. Mustafa

Banha University, Banha, Egypt, prof.dr.hassanmoustafa@gmail.com

²Hanafy M. Ali

Computers and Systems Engineering Depart., Faculty of Engineering, Minia University, El Minia, Egypt, hmali@mu.edu.eg.

Abstract This presented piece of research addresses a comparative study of two applicable distinct educational methodologies in our children's classrooms. Interestingly, the introduced educational comparative issue adopted two interdisciplinary realistic Artificial Neural Networks ANNs models. Which concerned with two different educational applied packages' approaches (methodologies). Briefly, two diversified educational packages –which considers a specific math topic- have been applicable in our children's fifth grade classrooms. Both diversified packages were characterized by two different educational methodologies. One has been originated from typical (teaching/ learning) classic approach. However, the other methodological package motivated by effective multisensory utilization (visual and auditory multimedia}. By more details, two selected (experimental & control) groups of children -with average age about 11 years- have been subjected to both suggested educational methodologies. Herein, the adopted math topic to be concerned with learning "How to solve long division problem?". That has carried out by sequential processes: Divide, Multiply, Subtract, Bring Down, and repeat (if necessary). Nevertheless, the second is associated with the critical instructional issue of "how to teach/learn reading?" Both adopted modules have carefully designed in order to develop two multimedia educational packages to be applicable for both above adopted topics at children's classrooms interestingly, obtained results proved to have significant improved distinction for the applied multisensory methodology (experimental groups) versus the classical one (control groups). That

improvement has been clearly observed not only regarding average (mean) values of academic achievement, but also considering coefficient of variation which improvement results in more consistency of the statistical distribution of academic achievement's values. Furthermore, both multisensory designed modules proved to be in well agreement likewise the Artificial Neural Network (ANN) associative memories theory, cognitive multimedia, and classical conditioning.

Keywords: Computer Assisted Learning; Associative memory; Multimedia educational packages, Neural Networks Modelin.

1. Introduction:

A growing community represents the field of learning sciences internationally. Many experts now recognize that conventional ways of conceiving knowledge, educational systems and technology-mediated learning are facing increasing challenges in this time of rapid technological and social changes. Since beginning of last decade, Artificial Neural Networks (ANNS) models have adopted to investigate systematically mysteries of human brain, the most complex biological neural system, [1]. Additionally, modeling of human brain functions considered as recent interdisciplinary evaluation trend by educationalists in learning science incorporated Neuro-physiology, psychology, and cognitive science, [2]. This piece of research adopts the conceptual approach of ANNs models inspired by functioning of highly specialized biological neurons based on the organization the brain's structures/substructures. In the context of functions of biological neurons, overwhelming majority of neurobiologists' research efforts has recently revealed findings about common increasingly sophisticated role adopted by Artificial Neural Networks (ANNs). This role applied commonly for systematic realistic modeling of interdisciplinary disciplines incorporating neuroscience, education, and cognitive

sciences. During the nineteenth of last century, technologies of computer, Information, and mobile devices play an essential role in how individuals work, live, play, and, more importantly, learn. Furthermore, this decade (1990-2000) is called decade of the brain as announcement in 1989 WHITE HOUSE REPORT in U.S.A. [3]. Over the past quarter century, there has been much concern about the state of science, technology, engineering, and mathematics (STEM) education in U.S. schools and its effect on the future of U.S. competitiveness in a global marketplace [4].

Recently, evolutionary computer based trend has been adopted by educationalists while interacting in practical educational field (classrooms) with their learners (children). Consequently, educational organizations of all sizes — even the smallest schools and businesses — rely on recent interdisciplinary technological trend for supporting them in performing more efficient and effective operation via improvement of academic achievement [5]. The rest of this paper organized in four main sections as follows. A generalized overview of interactive learning/teaching model based on ANNs presented at the second section. At the two third and fourth sections, adopted educational topics' issues have described briefly: each has concerned with one of adopted topics. An overview of the educational topic issue named "How to solve long division problem?" introduced at third section. Furthermore, obtained academic achievement results of a control group have statistically compared versus an experimental group in a classroom. Similarly, the fourth section presents a statistical comparative evaluation of obtained results for the other educational topic issue namely: "how to teach/learn reading language?" .Finally, some interesting conclusive remarks given at the last fifth section.

2. Generalized interactive learning /teaching model.

This section presents by its two subsections (A&B) respectively: details for basic realistic ANN modeling of interactive learning processes. In addition to mathematical formulation of natural brain learning phenomenon

2.1 Simplified Overview for Interactive Learning Process

This section presents a suggested ANN model simulating realistically how learning to read could be performed. The adopted model considers the associative memory function originated brain working memory. By more details, the objective of associative function implies that children must code written words and letters; this code is called orthographic word-form. The reading goal is carried out by association (translation) of orthographic word-from code into a spoken word (phonological word-form code) [8]. In other words, the visually recognized written (code) pattern should be transferred and pronounced in accordance with its associated code as correspondingly correlated auditory code pattern which has been stored previously into working memory [9].

The extremely composite biological structure of Human brain results in everyday observed behavioral learning brain processes (functions). Specifically, at the educational field, it is observable that learning process performed by human brain is affected with a simple Neuronal performance mechanism [10].




Figure 1. A generalized schematic diagram of an ANN brain model interacts with learning environment considering input stimuli and outputs response signals.

At the educational field, such learning processes generally performed in agreement with the neuronal self-organized learning principle. This learning principle could be modeled relevantly by the interactive relation among input stimuli and output responses signals. That is shown schematically by a diagram structure at Figure 1. This diagram decomposed into two level brain neural networks model concerned by autonomous learning by interaction with learning environment [11].

At Figure 1, an interactive learning model through stimulating signals is well qualified in performing realistic simulation for evaluating learner’s performance. That Figure, illustrates inputs to the neural network learning model which provided by stimuli unsupervised learning environment [6]. The correction signal for the case of learning with a teacher is given by responses outputs of the model will be evaluated by either the environmental conditions (unsupervised learning) [7] or by the instructor. The instructor plays a role in improving the input data (stimulating learning pattern), by reducing noise and redundancy of learning model pattern input [8]. In accordance with instructor’s experience, he provides illustrated model with clear data by maximizing learning environment signal to noise ratio [7].




Figure 2. A simplified diagram for an interactive learning process.




Figure 3. Generalized ANN block diagram simulating two diverse learning paradigms adapted from [1]

Mathematical Formulae of Natural Learning Phenomenon

Figure 2 illustrates generalized simulation of two diverse learning paradigms. It presents realistically both paradigms: by interactive learning / teaching process, as well as other self-organized (autonomous) learning. By some details, firstly is concerned with classical (supervised by tutor) learning observed at our classrooms (face to face tutoring). Accordingly, this paradigm proceeds interactively via bidirectional communication process between teacher and his learner(s). However, secondly other learning paradigm performs self-organized (autonomously unsupervised) tutoring process.

Referring to above Figure 3; the error vector $\bar{e}(n)$ at any time instant (n) observed during learning processes is given by:

$$\bar{e}(n) = \bar{y}(n) - \bar{d}(n) \quad (1)$$

Where $\bar{e}(n)$ is the error-correcting signal that is controlling adaptively the learning process, and $\bar{y}(n)$ is the output signal of the model. $\bar{d}(n)$ is the desired numeric value(s). Moreover, the following four equations deduced:

$$V_k(n) = X_j(n)W_{kj}^T(n) \quad (2)$$

$$Y_k(n) = \varphi(V_k(n)) = (1 - e^{-\lambda V_k(n)}) / (1 + e^{-\lambda V_k(n)}) \quad (3)$$

$$e_k(n) = |d_k(n) - y_k(n)| \quad (4)$$

$$W_{kj}(n+1) = W_{kj}(n) + \Delta W_{kj}(n) \quad (5)$$

Where X is input vector and W is the weight vector. φ is the activation function. Y is the output. e_k is the error value and d_k is the desired output. Note that $\Delta W_{kj}(n)$ is the dynamical change of weight vector value. Above four equations are commonly applied for both learning paradigms: supervised (interactive learning with a tutor), and unsupervised (learning through student's self-study). The dynamical changes of weight vector value specifically for supervised phase given by:

$$\Delta W_{kj}(n) = \eta e_k(n) X_j(n) \quad (6)$$

Where η is the learning rate value during the learning process for both learning paradigms. However, for unsupervised paradigm, dynamical change of weight vector value is given by:

$$\Delta W_{kj}(n) = \eta Y_k(n) X_j(n) \quad (7)$$

Noting that $e_k(n)$ in (6) is substituted by $y_k(n)$ at any arbitrary time instant (n) during the learning process.

description of the first educational topic

This section concerned with performing both of diversified instructional methodologies while teaching / learning the mathematical topic "How to solve long division problem?" [13][14]. That specific mathematical topic solved via sequential processes as: Divide, Multiply, Subtract, Bring Down, and repeat (if necessary) [14] [15]. A simplified flowchart for a computer-teaching program given at Figure 4. It presents teaching of long division that announced to be the focus of intense arguments in the world of mathematical education [16]. Herein a special attention paid to some research studies in education show that use of recent educational technology can help student to improve their academic achievements on considering Artificial Neural Networks (ANNS) modeling [16] [17] [18]




Figure 4. A simplified macro-level flowchart describing briefly algorithmic steps for the suggested CAL package.

Briefly, the introduced work inspired by a strong belief that interdisciplinary combining of (ANNS) modeling with observed challenging phenomenal educational issues for their investigational study, analysis, and evaluation. Furthermore, the overwhelming majority of neuroscientists have adopted the concept which suggests that huge number of neurons in addition to their synaptic interconnections constituting the central nervous system with its synaptic connectivity performing dominant roles for learning processes in mammals besides human [19][20]. More specifically, this motivation is supported by what revealed by National Institutes of Health (NIH) in USA that children in elementary school, may be qualified to learn "basic building blocks" of cognition and that after about 11 years of age, children take these building blocks and use them [21][22]. Interesting results revealed in valuable in sequential steps. The obtained results declare the significant distinction of multisensory instructional methodology as follows.

3.1 Tabulated results

Table 1: Illustrates statistical analysis of above obtained learners' achievement outcome.

Teaching Methodology	Children's average (Mapped) score%	Variance σ	Standard deviation $\sqrt{\sigma}$	Coefficient of variation $\rho = \sqrt{\sigma} / M$
Classical	35.733	465.26	21.57	0.6
CAL (with tutor's voice)	71.267	473.5	21.76	0.31

3.2 Graphical results




Figure 5: Illustrates graphical Comparison for Classical Learning versus multisensory module (associated with tutor's voice) considering children's academic achievement

discription of the second educational topic

In the context of teaching children how to read, individually, intrinsic different number a set of highly specialized neurons at the corresponding visual brain area contribute to the perceived sight (seen) signal is in direct proportionality with the correctness of identified depicted / printed images. These images represent the orthographic word-from has to be transferred subsequently into a spoken word (phonological word-form) during reading process. Furthermore, individual intrinsic characteristics of such highly specialized neurons (in visual brain area) influence directly on the correctness of identified images associated with orthographic word-from.

The reading brain function is mainly concerned with carrying out the associative memory brain function originated working part of brain memory. The objective of associative function implies that children must code written words and letters; this

code called orthographic word-form. Association (translation) of orthographic word-form code into a spoken word (phonological word-form code) carries out the reading goal [23]. In other words, the visually recognized written (code) pattern should be transferred and pronounced in accordance with its associated code as correspondingly correlated auditory code pattern which has been stored previously into working memory [24] [25][26]. Referring to (Fig.5&Fig.8), suggested models obey that concept as the two inputs I1, I2 represent sound (heard) stimulus which simulates phonological word-form and visual (sight) stimulus which simulates orthographic word-form respectively. The post-processed outputs O1, O2 are corresponded to reading and dictating (writing) processes respectively. It is worthy to note that in accordance with autonomous learning paradigm the suggested model obeys the original Hebbian learning rule [7]. As the children perform, their reading tasks based on previously learned lessons former experienced acquired knowledge. Furthermore, the simulated reading process flows that model is analogously straightforward to the Pavlovian conditioning learning [27]. The input stimuli to the model considered either conditioned or unconditioned stimuli. Visual and audible signals developed for training (interchangeably) as model's inputs to obtain desired (post-processed) output model's responses. Moreover, the model obeys elaborate mathematical analysis for Pavlovian learning process [28]. Additionally, the model modified following general Hebbian algorithm (GHA) and correlation matrix memory [6] [24] [25]. The adopted model designed following simulation of the previously measured performance of classical conditioning experiments. The model design concept presented after the mathematical transformation of some biological hypotheses. In fact, these hypotheses derived according to cognitive/ behavioral tasks observed during the experimental learning process. It is noticed that in the below simple structure given at Fig.6, it drives an output response reading function (pronouncing) that is represented as O1. However, the other output response

represented as O_2 obtained when input sound considered as conditioned stimulus. Hence visual recognition as condition response of the heard letter/ word obtained as output O_2 . In the context of neurobiology, the strength of response signal is dependent upon the transfer properties of the output motor neuron stimulating salivation gland. Lettered circles A, B, C, and D represent a neuron cell body. However, synaptic junctions W_{ij} between neuron (i) and neuron (j). The output signals released out from sensory sound and sight neurons A and C represented by y_1 and y_2 respectively denote lines connecting cell bodies. The output signals released out from sensory sound and sight neurons A and C are represented by y_1 and y_2 respectively.




Figure 6: Generalized reading model which presented as pronouncing of some word (s) considering input stimuli and output responses.




Figure 7: The structure of the first model where reading process is expressed by conditioned response for seen letter/ word

4.1 Graphical results




Figure 8: illustrates the obtained academic Achievement results for assessments of two applied Classical (A) and Multisensory Computer Based (B) instructional methodologies: (CONTROL GROUP (CLASSICAL METHODOLOGY) _____ (A) - EXPERIMENTAL GROUP (COMPUTER BASED METHODOLOGY). ____ (B))

4.2 Tabulated results

Table 2: Illustrates statistical analysis of above obtained Case study results (Academic Achievement) of the control group

Sum of total Students' outcomes score (Marks)	Mean of total Students' outcomes (Marks) M [%]	Variance σ	Standard deviation $\sqrt{\sigma}$	Coefficient of variation $\rho = \frac{\sqrt{\sigma}}{M}$
505.1	36.08	812.82	28.51	0.79

Table 3: Illustrates statistical analysis of above obtained Case study results (Academic Achievement) of the Experimental Group

Sum of total Students' outcomes score (Marks)	Mean of total Students' outcomes (Marks) M [%]	Variance σ	Standard deviation $\sqrt{\sigma}$	Coefficient of variation $\rho = \frac{\sqrt{\sigma}}{M}$
1249.8	89.27	6.58	2.57	0.029

conclusions and discussions

Recently, the presented interdisciplinary approach has been adopted for evaluation of children achievement in classrooms during teaching how to read Arabic language [30]. Conclusively, this research paper comes to the following six interesting conclusion remarks:

ANN modeling is a realistic and relevant tool to obtain interesting results in the context of student's learning performance.

Herein, evaluation of academic achievement performance presented via statistical analysis approach that provides educationalists with unbiased fair judgment tool for quality for any of instructional methodologies. The comparative evaluation of statistical analysis results in clearly improvement has been not only regarding average M [%] (mean) values of academic achievement, but also considering coefficient of variation ρ which improvement results in more consistency of the statistical distribution of academic achievement's values

This paper adopted two educational methodologies modules (applied for teaching a mathematical topic and Arabic language reading). One of these methodologies considers classical (conventional) instructional methodology. However, the other considered simultaneous visual and audible learning materials. It revealed dependency of learning / teaching effectiveness upon children's sensory cognitive systems. As shown at Tables (2&3)

Detailed comparative assessments for presented Computer based module tutoring methodology versus conventional tutoring methodology resulted in superiority of learning performance quality (better academic achievement) after application of simultaneous visual and auditory materials. That's shown at the two figures (Fig.5& Fig. 8), they are concerned respectively with the mathematical topic of "How to solve long division problem?", and with the topic of "how to teach/learn reading language?".

Interestingly, the above obtained results agree well with Lindstrom's findings that participants could only remember 20% of the total learning materials when they

were presented with visual material only, 40% when they were presented with both visual and auditory material, and about 75% when the visual and auditory material were presented simultaneously [29].

Finally, for future extension of presented research work, it is highly recommended to consider more elaborate investigational analysis and evaluations for other behavioral learning phenomena observed at educational field (such as learning creativity, improvement of learning performance, learning styles,.....etc.) using ANNs modeling. As consequence of all given in above, it is worthy to recommend realistic implementation of ANNs models, to be applicable for solving educational phenomena issues related to cognitive styles observed at educational phenomena and/or activities.

References

1. Grossberg, S. (ED.)” Neural Networks and Natural Intelligence” The MIT press, 1988, pp 1-5.H.M.Hassan, Ayoub Al-Hamadi, and F. Al-Mohaya “On Quantifying Learning Creativity Using Artificial Neural Networks (A Neuro-physiological Cognitive Approach)” Published at National Conference of Applied Cognitive Psychology held in India , Calcutta , 29 –30 November, 2007.
2. White House OSTP Issues Decade of the Brain Report, Maximizing Human Potential: 1990-2000. Strengthening Pre-College STEM Education In The U.S. A Technological Literacy & Workforce Imperative GENERAL POSITION PAPER PS10-20 | APRIL 2010
- 3.<http://www.amazon.com/Integrating-Educational-Technology-into-Teaching/dp/0132612259> Publication Date: January 6, 2012 | ISBN-10: 0132612259 | ISBN-13: 978-0132612258 | Edition: 6
- 4,<http://www.amazon.com/Integrating-Educational-Technology-into-%20Teaching/dp/0132612259> Haykin S., Neural Networks, Englewood Cliffs, NJ: Prentice-Hall, 1999, pp 50-60.
- 5..Hebb, D.O. "The organization of Behavior", A Neuropsychological Theory, New York, Wiley, 1949.
- 6.Ghonaimy M.A., Al – Bassiouni, A.M. and Hassan, H.M “Leaning Of Neural Networks Using Noisy Data”. Second International Conference on Artificial Intelligence Applications, Cairo, Egypt, Jan 22-24, 1994. PP. 387-399.

7.The Developing of Reading Brain ,

<http://www.education.com/reference/article/brain-and-learning/#B>.

R. Beale and T. Jackson, 1990: Neural Computing, an introduction,
Adam Hiler. T

Borzenko "Neuron mechanism of human languages" Published in
IJCNN'09 Proceedings of the 2009 international joint conference on
Neural Networks IEEE Press Piscataway, NJ, USA ©2009 ISBN:
978-1-4244-3549-4.

8.M.Fukaya, et.al "Two level Neural Networks: Learning by
Interaction with Environment", 1st ICNN, San Diego, (1987).

9.<http://www.amazon.com/Integrating-Educational-Technology-into-Teaching/dp/0132612259> Publication Date: January 6, 2012 | ISBN-10: 0132612259 | ISBN-13: 978-0132612258 | Edition: 6
<http://www.amazon.com/Integrating-Educational-Technology-into-%20Teaching/dp/0132612259>

10.Mustafa Hassan, Ayoub Al-Hamadi (2009)."On Teaching Quality Improvement of a Mathematical Topic Using Artificial Neural Networks Modeling" (With a Case Study)", published at 10th (Anniversary!) International Conference Models in Developing Mathematics Education" held in Dresden, Saxony, Germany on September 11-17

11.Saeed A. Al-Ghamdi, Hassan M. H. Mustafa, Ayoub Al-Hamadi, Mohammed H. Kortam and AbdelAziz M. Al-Bassiouni "On Optimality

of Teaching Quality for a Mathematical Topic Using Neural Networks (With a Case Study) ", IEEE Global Engineering Education Conference (IEEE EDUCON 2013), Berlin, Germany, March 13-15, 2013. Pages: 422-430.

12. Interactive practice with long division with no decimals: Daisy Maths - Long Division .Available online at: <http://Argyll.epsb.ca/jreed/extras/longdiv>

Saeed A. Al-Ghamdi, Hassan M. H. Mustafa, Abdel Aziz M. Al-Bassiouni and Ayoub Al-Hamadi , " Simulation of Improved Academic Achievement for a Mathematical Topic Using Neural Networks Modeling ", World of Computer Science and Information Technology Journal (WCSIT) ISSN: 2221-0741 Vol. 3, No. 4, 77-84, 2013.

13. Mustafa, H.M., Al-Hamadi, A., and Kortam, M. "On Assessment of Teaching a Mathematical Topic Using Neural Networks Models (With a case study)", published at the Journal of COMPUTER SCIENCE AND APPLICATION, VOL. 1, NO. 2, FEBRUARY, 2012, pp. 12-19.

14. Al-Zahrani, F.A., Mustafa, H.M., Al-Hamadi, A. (2010) "On Analysis And Evaluation of Multi-Sensory Cognitive Learning Of A Mathematical Topic Using Artificial Neural Networks", Journal of Telecommunications, 1(1), 99-104.

15. Swaminathan, N 2007 " Cognitive Ability Mostly Developed Before Adolescence, NIH Study Says. NIH announces preliminary findings

from an effort to create a database that charts healthy brain growth and behavior "Scientific American letter, May 18, 2007.

Long Division: A Touch-Stone for a Few Teaching Principles. Available on line at: www.math.technion.ac.il/~ra/englongdivision.doc

16.Swaminathan,N "How The Brain Maps Symbols To Numbers" Scientific American letter, October 31, 2007.

17.Borzenko "Neuron mechanism of human languages" Published in IJCNN'09 Proceedings of the 2009 international joint conference on Neural Networks IEEE Press Piscataway, NJ, USA ©2009 ISBN: 978-1-4244-3549-4.

18.R. Beale and T. Jackson, 1990: Neural Computing, an introduction, Adam Hiler. T.

Hassan, H.M. 2005: On Mathematical Analysis, And Evaluation of Phonics Method for Teaching of Reading Using Artificial Neural Network Models. Published at SIMMOD, Jan.17-19 , pp 254-262

19.Douglas, R. J., & Martin, K. A. C. (1991). Opening the gray box. Trends in Neurosciences, 14, 286–293.

20.Pavlov, I.P.: Conditional Reflex, An Investigation of The Psychological Activity of the Cerebral Cortex. New York , Oxford University press, (1927).

21.Hassan H. and Watany M. "On Mathematical Analysis of Pavlovian Conditioning Learning Process using Artificial Neural

Network Model", 10th Mediterranean Electro technical Conf., May 29-31, 2000, Cyprus.

22.Lindstrom, R.L. The Business Week Guide to Multimedia Presentations: Create Dynamic Presentations that Inspire, New York: McGraw-Hill, 1994.\

23.Hassan M. H. Mustafa , and Mohamed I. A. Ibrahim” Artificial Neural Networks’ Application for Comparative Recognitional Study of Children Correctly Pronounced Reading Arabic Words Associated with Two Diversified Educational Methodologies 24.Published at New Ideas Concerning Science and Technology Vol. 10, 17 March 2021, Page 1-16 : 2021-03-17. Available online at: <https://doi.org/10.9734/bpi/nicst/v10/6101D>